



[www.nanobarrera.com.mx](http://www.nanobarrera.com.mx)

# TI20 MULTIPURPOSE

## DESCRIPTION

TI20 Multipurpose is an advanced thermal and acoustic insulation system, combined with corrosion control and waterproofing, is a versatile solution for industrial and commercial needs. It's engineered to deliver top-notch thermal insulation, noise reduction, corrosion resistance, and waterproof capabilities. Suitable for all types of surfaces.



## FEATURES

- **Thermal Conductivity:** TI20 features exceptionally low thermal conductivity, ensuring high efficiency in thermal insulation and significantly reducing heat transfer.
- **Noise Reduction:** Thanks to its structure and composition, TI20 provides excellent noise reduction, minimizing acoustic disturbances both indoors and outdoors.
- **Corrosion Resistance:** TI20 offers effective protection against corrosion, acting as a protective barrier to prevent damage caused by corrosive agents, such as moisture, chemicals, and other environmental factors.
- **Waterproofing:** The product boasts high-performance waterproofing properties, preventing water leakage and shielding surfaces from moisture.
- **Mechanical Stability:** Owing to its high molecular weight and superb mechanical stability, the system guarantees prolonged durability and resistance to deformations, ensuring reliable long-term performance.
- **Sustainability:** The system is 100% eco-friendly, meeting the strictest sustainability standards. It contains no toxic or environmentally harmful components.

# T120 MULTIPURPOSE



## PROPERTIES

The product is a water-soluble polymer that's semi-liquid in its wet state. It boasts high mechanical stability and is made up of a high molecular weight. It has been enhanced with antimicrobial activity, germ-fighting nanocomposites, and anti-fungal properties. Carefully integrated are aggregates with low thermal conductivity, ensuring the absence of thermal bridges. Additionally, this formulation is 100% environmentally friendly.



## USES AND APPLICATIONS

For industrial, commercial, or residential construction, suitable for interiors or exteriors, wood, metal, concrete, plastered surfaces, brick, block, water-conducting pipes, etc. Apply in layers using a brush, bristle brush, roller, or airless equipment.



## TECHNICAL SPECIFICATIONS

COLOR	Flat white
DENSITY	29.79 lbs/ft <sup>3</sup> (476.0 Kg/m <sup>3</sup> )
MOISTURE ABSORPTION	Weight: 1.29% Volume: 0.5983%
WATER VAPOR PERMEABILITY	0.0010 ng/Pa.s.m.
THERMAL CONDUCTIVITY	0.07922 W/m.K.
THERMAL EMITTANCE	0.82
SOLAR REFLECTANCE INDEX (SRI)	103
SOLAR REFLECTANCE	0.831
VOC	< 0.4172 lb/gal
p.H.	7.0 to 9.0
COVERAGE RATE	0.0295 gal/ft <sup>2</sup>
PACKAGE	5 gallon pail (19 liters)

## PRECAUTIONS

- Do not add water



# T120 MULTIPURPOSE



## STORAGE AND SHELF LIFE

Shelf life of 6 months from manufacture date when properly stored in a warehouse between 41°F and 90°F



## APPLICATION METHOD

### SURFACE PREPARATION:

1. Sweep and pressure wash the surface.
2. Apply primer membrane.

### APPLICATION METHODS:

1. Stir contents at low speed until well-mixed.
2. Apply in thin layers using a brush, roller, paintbrush, airless sprayer, or pneumatic spray equipment.
3. For concrete or cement roofs, it's recommended to lay a reinforcing membrane.

### APPLICATION CONDITIONS:

Do not apply when rain is expected or under extreme temperatures.

### LEGAL DISCLAIMER AND LIABILITY LIMITATION:

T120 Multipurpose is a product of Nanobarrera™. Any information, data, or designs contained in this document may not be altered and is provided with the intention of offering technical information about the product. The use of T120Multipurpose is at the user's own risk and responsibility. The information in this technical sheet is given in good faith and is based on tests and data available up to the document's preparation date. However, the manufacturer does not guarantee the accuracy, completeness, or suitability of this information for specific purposes. Users assume the responsibility of assessing the product's suitability for their specific application and must adhere to all usage and application instructions provided by the manufacturer. Nanobarrera™ and its distributors will not be held accountable for any direct, indirect, special, consequential, or incidental damages that may arise from using or the inability to use the product, even if they've been advised of the potential for such damages. This includes, but is not limited to, property damage, personal injury, or economic losses. The user is responsible for adhering to all applicable standards, regulations, and requirements concerning the product's installation, use, and handling. It's advised to follow all safety precautions and wear appropriate personal protective equipment when handling and applying the product. Any claims related to T120Multipurpose will be limited to either replacing the defective product or refunding the purchase price, at the manufacturer's discretion. For additional technical advice or to address any concerns related to the product's use, it is recommended to consult [www.nanobarrera.com.mx](http://www.nanobarrera.com.mx) or a qualified professional. By using T120Multipurpose, the user agrees to all terms and conditions set forth in this legal disclaimer and liability limitation.